Formulary Adherence Checklist for NICE Technology Appraisals About Medicines

Milton Keynes Health Economy

Developed for the NHS by: East and South East England
Specialist Pharmacy Services

This spreadsheet is updated monthly and enables self-audit of a medicines formulary for adherence to current NICE Technology Appraisals. Version 6.9 January 2016 All guidelines refer to adults unless indicated. No copyright is asserted on this material if used for non-commercial purposes within the NHS.

Technology appraisal (TA) Titles are hyperlinks to full guidance	Date of TA Release	Availability of medicine for NHS patients with this medical condition, as indicated by NICE	Adherence of local formulary to NICE				
			Yes (mark 'x' if applicable)	N/A (mark 'x' if applicable)	Date of local decision (DD/MM/YY)	Time to implement (days)	Notes (e.g. rationale, method of making available)
2014-15							
Erlotinib and gefitinib for treating non-small-cell lung cancer that has progressed after prior chemotherapy [TA374]	16/12/2015	Erlotinib - recommended as an option for treating locally advanced or metastatic non-small-cell lung cancer that has progressed after non-targeted chemotherapy in people with tumours of unknown EGFR-TK mutation status (see notes for conditions of the recommendation), but is not recommended for treating locally advanced or metastatic non-small-cell lung cancer that has progressed after non-targeted chemotherapy in people with tumours that are EGFR-TK mutation-negative. Gefitinib - not recommended for treating locally advanced or metastatic non-small-cell lung cancer that has progressed after non-targeted chemotherapy in people with tumours that are EGFR-TK mutation-positive.	x		26/01/2016		NHSE commissioned. Prescribing to follow east midlands cancer network protocols Add to the formulary (RED)
Abatacept, adalimumab, etanercept and tocilizumab for treating juvenile idiopathic arthritis [TA373]	16/12/2015	Abatacept, adalimumab, etanercept and tocilizumab - recommended as possible treatments for polyarticular juvenile idiopathic arthritis. Adalimumab and etanercept - recommended as possible treatments for enthesitis-related juvenile idiopathic arthritis. Etanercept - recommended as a possible treatment for psoriatic juvenile idiopathic arthritis.	x		26/01/2016	41	NHSE commissioned. Prescribing to follow SSC advice Add to the formulary (RED)
Apremilast for treating active psoriatic arthritis [TA372]	16/12/2015	Apremilast - not recommended for treating adults with active psoriatic arthritis that has not responded to prior DMARD therapy, or such therapy is not tolerated.	х		26/01/2016	41	Not recommended by NICE – no action

Trastuzumab emtansine for treating HER2- positive, unresectable locally advanced or metastatic breast cancer after treatment with trastuzumab and a taxane [TA371]	16/12/2015	Trastuzumab emtansine- not recommended for treating adults with human epidermal growth factor 2 (HER2) positive, unresectable locally advanced or metastatic breast cancer previously treated with trastuzumab and a	Х	26/01/2016	41 Not recommended by NICE – no action
Bortezomib for previously untreated mantle cell lymphoma [TA370]	16/12/2015	Bortezomib - recommended as an option for previously untreated mantle cell lymphoma in adults for whom haematopoietic stem cell transplantation is unsuitable	х	26/01/2016	41 NHSE commissioned. Prescribing to follow east midlands cancer network protocols Add to the formulary (RED)
Ciclosporin for treating dry eye disease that has not improved despite treatment with artificial tears [TA369]	16/12/2015	Ciclosporin - recommended as an option for treating severe keratitis in adult patients with dry eye disease that has not improved despite treatment with tear substitutes	х	26/01/2016	41 Agreed to add to the formulary for consultant initiation only and for at least one month (RED).
Apremilast for treating moderate to severe plaque psoriasis [TA368]	25/11/2015	Apremilast - not recommended for treating moderate to severe chronic plaque psoriasis that has not responded to systemic therapy, or systemic therapy is contraindicated or not tolerated.	X	26/01/2016	62 Not recommended by NICE – no action
Vortioxetine for treating major depressive episodes [TA367]	25/11/2015	Vortioxetine - recommended as an option for treating major depressive episodes in adults whose condition has responded inadequately to 2 antidepressants within the current episode.	x	26/01/2016	62 Drug funding review. Agreed to add to formulary for hospital use only (RED).
Pembrolizumab for advanced melanoma not previously treated with ipilimumab [TA366]	25/11/2015	Pembrolizumab - recommended as an option for treating advanced (unresectable or metastatic) melanoma that has not been previously treated with ipilimumab.	х	26/01/2016	62 NHSE commissioned. Prescribing to follow east midlands cancer network protocols Add to the formulary (RED)
Ombitasvir-paritaprevir-ritonavir with or without dasabuvir for treating chronic hepatitis C [TA365] Daclatasvir for treating chronic hepatitis C	25/11/2015 25/11/2015	Ombitasvir-paritaprevir-ritonavir - recommended with or without dasabuvir, as an option for treating genotype 1 or 4 chronic hepatitis C. Daclatasvir - recommended as an option for treating	X	26/01/2016	62 Hepatitis C service not currently in commission in MK – No action 62 Hepatitis C service not currently in commission in MK
[TA364] Ledipasvir–sofosbuvir for treating chronic	25/11/2015	chronic hepatitis C. Ledipasvir–sofosbuvir - recommended as an option for	X	26/01/2016	No action 62 Hepatitis C service not currently in commission in MK Repaired to the currently in commission in MK
hepatitis C [TA363]	23/11/2013	treating chronic hepatitis C.	*	20/01/2010	– No action
Paclitaxel as albumin-bound nanoparticles with carboplatin for untreated non-small-cell lung cancer [TA362]	28/10/2015	Paclitaxel - unable to make a recommendation because no evidence submission was received from Celgene for the technology.	х	26/01/2016	90 Appraisal terminated by NICE - no action.
Simeprevir in combination with sofosbuvir for treating genotype 1 or 4 chronic hepatitis C [TA361]	28/10/2015	Simeprevir in combination with sofosbuvir - unable to make a recommendation because no evidence submission was received from Janssen for the technology.	x	25/11/2015	28 Terminated Appraisal by NICE - no action.
Paclitaxel as albumin-bound nanoparticles in combination with gemcitabine for previously untreated metastatic pancreatic cancer [TA360]	28/10/2015	Paclitaxel as albumin-bound nanoparticles (nab- Paclitaxel) in combination with gemcitabine - not recommended for adults with previously untreated metastatic adenocarcinoma of the pancreas.	x	25/11/2015	28 Not recommended by NICE – no action
Idelalisib for treating chronic lymphocytic leukaemia [TA359]	28/10/2015	Idelalisib - recommended in combination with rituximab as a treatment for chronic lymphocytic leukaemia (CLL)	х	25/11/2015	28 Approved for formulary inclusion in line with NICE TA359

Tolvaptan for treating autosomal dominant polycystic kidney disease [TA358]	28/10/2015	Tolvaptan - recommended as an option for treating autosomal dominant polycystic kidney disease in adults to slow the progression of cyst development and renal insufficiency	х	25/11/2015	28 Add to the formulary. Should be initiated on advice of a renal consultant or a tertiary centre, strictly in line with NICE TA358. It will be treated as a High Cost Drug in order to be purchased at the Patient Access Scheme price. Hosptial Prescribing only
Pembrolizumab for treating advanced melanoma after disease progression with ioilimumab (TA357)	07/10/2015	Pembrolizumab - recommended as an option for treating advanced (unresectable or metastatic) melanoma.	х	25/11/2015	49 Approved for formulary inclusion to be used in line with NICE TA357
Ruxolitinib for treating polycythaemia vera (TA356)	30/09/2015		х	25/11/2015	56 Terminated Appraisal by NICE - no action.
Edoxaban for preventing stroke and systemic embolism in people with non-valvular atrial fibrillation (TA355)	30/09/2015	Edoxaban - recommended as an option for preventing stroke and systemic embolism in adults with non-valvular atrial fibrillation with one or more risk factors (congestive heart failure, hypertension, diabetes, prior stroke or transient ischaemic attack, age ≥75 years)	х	25/11/2015	56 Approved for formulary inclusion in line with NICE TA355. Its place in therapy needs further review and local agreement.
Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism (TA354)	31/08/2015	Edoxaban - recommended as an option for treating and for preventing recurrent deep vein thrombosis and pulmonary embolism in adults.	х	25/11/2015	86 Approved for formulary inclusion in line with NICE TA354. Its place in therapy needs further review and local agreement.
Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary peritoneal cancer (TA353)	31/08/2015	Bevacizumab - unable to make a recommendation because no evidence submission was received from Roche Products for the technology.	х	25/11/2015	
Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy (TA352)	31/08/2015	Vedolizumab - recommended as an option for treating moderately to severely active Crohn's disease	х	25/11/2015	86 Approved for formulary inclusion to be used in line with NICE TA352
Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (TA351)	31/07/2015	Cangrelor - unable to make a recommendation because no evidence submission was received from The Medicines Company UK for the technology.	x	23/09/2015	54 Terminated Appraisal by NICE - no action.
Secukinumab for treating moderate to severe plaque psoriasis (TA350)	31/07/2015	Secukinumab - recommended as an option for treating adults with plaque psoriasis	x	23/09/2015	54 Secukinumab (Cosentyx®) injection was approved for formulary inclusion for treating moderate to severe plaque psoriasis. A NICE compliance form to be developed.
Dexamethasone intravitreal implant for treating diabetic macular oedema (TA349)	31/07/2015	Dexamethasone intravitreal implant - recommended as an option for treating diabetic macular oedema	х	23/09/2015	54 Dexamethasone 700 micrograms intravitreal implant was approved for formulary inclusion for treating diabetic macular oedema

Everolimus for preventing organ rejection in liver transplantation (TA348)	31/07/2015	Everolimus - not recommended for preventing organ rejection in people having a liver transplant.	х	23/09/2015	54	Not recommended
Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer (TA347)	31/07/2015	Nintedanib - recommended in combination with docetaxel as an option for treating locally advanced, metastatic or locally recurrent non-small-cell lung cancer of adenocarcinoma histology that has progressed after first-line chemotherapy	x	23/09/2015		Nintedanib (Vargatef®) Capsules was approved for formulary inclusion for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer.
Aflibercept for treating diabetic macular oedema (TA346)	31/07/2015	Aflibercept solution for injection - recommended as an option for treating visual impairment caused by diabetic macular oedema	х	23/09/2015		Aflibercept (Eylea®) solution for injection was approved for formulary inclusion for treating visual impairment caused by diabetic macular oedema.
Naloxegol for treating opioid-induced constipation (TA345)	31/07/2015	Naloxegol - recommended as an option for treating opioid induced constipation in adults whose constipation has not adequately responded to laxatives.	x	23/09/2015		Naloxegol (Moventig®) Tablets was approved for formulary inclusion for treating opioid-induced constipation.
Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia (TA344)	30/06/2015	Ofatumumab - recommended in combination with chlorambucil as an option for untreated chronic lymphocytic leukaemia.	х	22/07/2015	22	NHS England funded. Ofatumumab was approved for formulary inclusion for use in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia in accordance with NICE TA 344
Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia (TA343)	30/06/2015	Obinutuzumab - recommended in combination with chlorambucil, as an option for adults with untreated chronic lymphocytic leukaemia who have comorbidities that make full-dose fludarabine-based therapy unsuitable for them.	x	22/07/2015	22	NHS England funded. Obinutuzumab (Gazyvaro ▼) was approved for formulary inclusion for use in combination with chlorambucil for untreated chronic lymphocytic leukaemia in accordance with NICE TA 343.
Vedolizumab for treating moderately to severely active ulcerative colitis (TA342)	30/06/2015	Vedolizumab - recommended as an option for treating moderately to severely active ulcerative colitis (UC) in adults.	х	22/07/2015	22	Approved for formulary inclusion for treating severely active ulcerative colitis in accordance with NICE TA 342. Treatment pathway in development.
Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism (TA341)	30/06/2015	Apixaban - recommended as an option for treating and for preventing recurrent deep vein thrombosis and pulmonary embolism in adults.	x	22/07/2015		Apixaban was approved for formulary inclusion for treating and preventing recurrent deep vein thrombosis or pulmonary embolism in accordance with NICE TA 341. The current local agreement on the use of novel oral anticoagulants can be found on the formulary website at: http://formularymk.nhs.uk/includes/documents/NOACs-MKPAG-Summary-July2014-1.pdf

Ustekinumab for treating active psoriatic arthritis (rapid review of technology appraisal guidance 313) (TA340)		Ustekinumab - recommended as an option, alone or in combination with methotrexate, for treating active psoriatic arthritis in adults	х		22/07/2015		Approved for formulary inclusion for the treatment of psoriatic arthritis in accordance with NICE TA 340. Prescribing by consultant Rheumatologists and Dermatologists only. Develop a NICE compliance form for ustekinumab use in line with NICE TA340 defining its place in therapy vs other similar agents.
Omalizumab for previously treated chronic spontaneous urticaria (TA339)		Omalizumab- recommended as an option as add-on therapy for treating severe chronic spontaneous urticaria in adults and young people aged 12 years and over.	х		22/07/2015		Approved for formulary inclusion in line with NICE TA339. It is not for initiation or routine continuation. Clinician may prescribe it in exceptional circumstances to patients to ensure continuity of supply while arrangements are made to obtain on-going supplies from specialist secondary care centre.
			36	0			
			% "Yes"	% "N/A"	-	Average implement time (days)	
Adherence statistics for 2014-15			100%	0%		49	